



STERLING

Quality Padlocks



Phoenix Security Products Ltd.
Unit 12b Leeds Bradford Airport Industrial Estate,
Harrogate Road, Yeadon, Leeds LS19 7WP West Yorkshire, UK.




STERLING

Tel: 0113 250 3603 Fax: 0113 250 0532
e.mail: phoenixsp@mcmill.com



STERLING

Brass Padlocks



- Solid brass body & cylinder
- Hardened steel chrome plated shackle
- Mushroom pins
- Pin tumbler locking mechanism
- Stainless steel springs
- 2 Nickel plated brass keys
- Large number of key combinations
- Standard section keyway
- Clam packed
- 10 year guarantee



STANDARD SHACKLE

Ref No	Size	Dimensions (mm)						Locking System		Pin tumbler
		A	B	C	D	E	F	Single	Double	
BPL122	20mm	20	19.1	12	3	9.7	10.2	●		3
BPL123	25mm	25	24.4	14.1	4	12.7	11.9	●		4
BPL132	30mm	30	27.3	17	4.8	15.8	12.7		●	4
BPL142	40mm	40	33	23.8	6.4	22.6	14.2		●	5
BPL152	50mm	50	40.3	27.9	7.9	29.5	16.5		●	5
BPL162	60mm	60	45.5	33.7	9.5	35.6	19		●	5

LONG SHACKLE

Ref No	Size	Dimensions (mm)						Locking System		Pin tumbler
		A	B	C	D	E	F	Single	Double	
BPL242	40mm	40	33	42	6.4	22.6	14.2		●	5


High Security Discus Padlocks



- Laser welded stainless steel lock body/brass cylinder
- Hardened steel chrome plated closed shackle
- Pin tumbler locking mechanism
- Stainless steel interior
- Deadbolt locking lever
- Mushroom pins
- 2 nickel plated brass keys
- Large number of key combinations
- Standard section keyway
- Clam packed
- 10 year guarantee

Ref No	Dimensions (mm)			
	A	B	C	D
SPL080	60	14	18	8
SPL100	70	17.5	23	9.5
SPL120	90	15	25	12

Laminated Steel Padlocks



- Steel laminated body
- Hardened steel chrome plated shackle
- Brass cylinder
- Mushroom pins
- Stainless steel springs
- Large number of key combinations
- Protective bumper
- 2 Nickel plated brass keys
- Pin tumbler locking mechanism
- Standard section keyway
- Clam packed
- 10 year guarantee

Ref No	Size	Dimensions (mm)						Locking System		Pin tumblers
		A	B	C	D	E	F	Single	Double	
LPL132	30mm	31	26.7	16.5	5.1	14.4	17.6	●		4
LPL142	40mm	40	33.5	23.1	6.4	20.3	22.5		●	4
LPL152	50mm	50	38	30	9.5	23	26.5		●	5
LPL162	64mm	64	44	32	11	28.4	30.5		●	5